APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office
Returned to applicant for correction JAN 0 8 1992
Corrected application filed JAN 1 6 1992
Map filed JAN 1 6 1992 under 56987
The applicant Horizon Gold Corporation
1536 Cole Blvd. Suite 140 Golden Gity or Town, of Gity or Town
Colorado 80401, hereby make ^S , application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)
Incorporated March 12, 1980 in Colorado
The source of the proposed appropriation is underground Name of stream, take, spring, underground or other source
2. The amount of water applied for is 1,3.0 Second-foot equals 448,83 gals, per min.
(a) If stored in reservoir give number of acre-feet.
3. The water to be used for dewatering, mining, milling and domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated.
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under No. 12. "Remarks" XX
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point within the unsurveyed S E 1/4 NW 1/4 Section 14, T23N, R35E M)B&M or at a Describe as being within a 40-acre subdivision of public point from which the USC&GS Benchmark 3411 (C-104) of (said) Section 14 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
T23N, R35E MDB&M bears S 11° 51' W a distance of 2657.75 feet.
6. Place of use Dewatering wells located within unsurveyed NW 1/4 of Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Section 14, T23N, R35E. Dewatering ditch located within unsurveyed
Sections 14, 11, 12, 1, T23N, R35E. Intiltration Basins located within
unsurveyed Section 1, T23N, R35E. See Map
7. Use will begin about January 1 and end about December 31 of each year. Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Drilled and cased wells, pumps, motors, pipelines, distribution system. State manner in which water is to be diverted, i.e. diversion structure, disches and
storage pond, reclamation system, ditch to infiltration basins.

9. Estiπ	nated cost of works \$100,000 / Well
lO. Estim	nated time required to construct works
	II wen competes, describe works.
1. Estin	nated time required to complete the application of water to beneficial use Five (5) years
	arks: For use other than irrigation or stock watering, state number and type of units to be served or annual
	imptive use:
Se	e attached page
	s/ W. Wright Parks III B. 3100 Mill St. Suite 105
	By 3100 Mill St. Suite 105 Reno, NV 89502
Compared	<u>jv/ mv</u>
Protested.	
	DENTAL OF STATE ENGINEER
	deny
	is to certify that I have examined the foregoing application, and do hereby \(\frac{1}{2}\) in the same, subject to the limitations and conditions:
	nting of the applications would be detrimental to the public erest.
	ant of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
Work mu	st be prosecuted with reasonable diligence and be completed on or before
Proof of o	completion of work shall be filed before
	on of water to beneficial use shall be filed on or before
Application	
Application	on of water to beneficial use shall be filed on or before
Application	on of water to beneficial use shall be filed on or before the application of water to beneficial use shall be filed on or before upport of proof of beneficial use shall be filed on or before
Application Proof of to Map in se	the application of water to beneficial use shall be filed on or before
Application Proof of the Map in standard Completion	on of water to beneficial use shall be filed on or before
Application Proof of the	the application of water to beneficial use shall be filed on or before upport of proof of beneficial use shall be filed on or before IN TESTIMONY WHEREOF, I, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this
Application Proof of the Map in su Completion Proof of he Cultural map	the application of water to beneficial use shall be filed on or before upport of proof of beneficial use shall be filed on or before upport of proof of beneficial use shall be filed on or before upport of work filed IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 31st December -
Application Proof of the Map in sufficient of the Completion Proof of the Cultural material m	the application of water to beneficial use shall be filed on or before upport of proof of beneficial use shall be filed on or before. IN TESTIMONY WHEREOF, I, MICHAEL TURNIPSEED, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 31st December -

(CI)-2145 (Rev. 9-89

Application for permit to appropriate the public waters of the state of Nevada

Dixie Comstock Project

12. Remarks: This application forms part of a request to permit 4, 40 acre 1/4 1/4 sections. The permits will be operated in conjunction with existing permits, #55308 - 55314. The existing permits lie within the 4, 40 acre 1/4 1/4 sections. This issuing of these permits would allow processing and heap leaching of gold bearing ores associated with the development of this new mining project, the Dixie Comstock project. The permits would also allow dewatering for the safe operation of the Dixie Comstock pit. The total diversion rate from all permits collectively (including existing permits) shall not exceed 40 cfs. More than one well may be drilled in each 40 acre subdivision. A totalizing and instantaneous flow meter shall be installed on each well. This water will be used for mining, milling and dewatering processes. Excess water from the dewatering will be transported by gravity to groundwater recharge basins located approximately 11,000 feet to the north northeast of the Dixie Comstock pit. This will allow for percolation back to the groundwater source. Regular reports will be submitted to the State Engineer detailing the number of wells completed, collective and individual pumping rates, rates of drawdown, and the amount of water used in each of the process components.

7: 1

